

# **Neural Smithing**

## **Supervised Learning in Feedforward Artificial Neural Networks**

Russell D. Reed and Robert J. Marks, II

A Bradford Book  
The MIT Press  
Cambridge, Massachusetts  
London, England

1999




Figure 2.4

In supervised learning with a distal teacher the network output drives another system,  $T$ , which produces the final output. This makes the teacher's job easier because targets can be specified at a higher, less detailed, level. When  $T$  is a known function, the low-level signals needed for network training can be derived from the high-level errors.

ment learning, but less informative than in regular supervised learning. As in reinforcement learning, the network outputs act as inputs to another system,  $T$ , which transforms the network outputs into the final output. When  $T$  is well-defined or can be accurately modeled, errors in the overall system-output can be translated backwards to the low level network-output error signals needed for network training. When the overall targets can be specified simply, the teacher's job is simpler.

Using the task of throwing a ball as an analogy, the network outputs are the numerous coordinated muscular actions needed to toss the ball and  $T$  is the physics that transform these actions into a result. If the overall goal is to land a basketball in a hoop, the sight of it bouncing off the rim may be a high-level error signal. No coach can tell you exactly when and how to move each individual muscle, but they can provide high-level suggestions in terms you already know how to implement, for example, "put more spin on it." Knowledge of the situation then allows you to translate the high-level suggestion back to individual low-level actions.

Simulation results for a simple robot arm controller are described in [200, 201, 199]. Given inputs representing a position  $(x, y)$ , the desired network outputs are the joint angles that put the manipulator in this position (figure 2.5). Physical properties of the arm determine the relationship  $T$  between the network outputs (joint angle commands) and the

L Number	Hits	Search Text	DB	Time stamp
1	919	neural adj net\$5 and (feedforward or feed adj forward)	USPAT; US-PGPUB	2002/01/23 09:27
4	628	(neural adj net\$5) near30 (feedforward or feed adj forward)	USPAT; US-PGPUB	2002/01/23 09:43
7	185	((neural adj net\$5) near30 (feedforward or feed adj forward)) and (resist\$5 or pathogen\$3 or drug or mutation)	USPAT; US-PGPUB	2002/01/23 09:29
10	194	(neural and net\$5) and (feedforward or feed adj forward)	EPO; JPO; DERWENT; IBM_TDB	2002/01/23 09:44
15	104	((neural and net\$5) and (feedforward or feed adj forward)) not us.pc.	EPO; JPO; DERWENT; IBM_TDB	2002/01/23 09:44

(FILE 'HOME' ENTERED AT 10:27:22 ON 23 JAN 2002)

INDEX 'ADISALERTS, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 10:27:36 ON 23 JAN 2002

SEA NEURAL (W) (NET OR NETWORK) AND (FEEDFORWARD OR FEED (W) FO

```

-----
0*  FILE ADISNEWS
1   FILE AGRICOLA
3   FILE ANABSTR
1   FILE BIOBUSINESS
22  FILE BIOSIS
1   FILE BIOTECHABS
1   FILE BIOTECHDS
8   FILE BIOTECHNO
3   FILE CABA
1   FILE CANCERLIT
28  FILE CAPLUS
3   FILE CEABA-VTB
3   FILE DDFU
12  FILE DRUGU
48  FILE EMBASE
11  FILE ESBIODASE
12  FILE IFIPAT
21  FILE JICST-EPLUS
6   FILE LIFESCI
31  FILE MEDLINE
41  FILE PASCAL
6   FILE PROMT
48  FILE SCISEARCH
3   FILE TOXCENTER
15  FILE TOXLIT
261 FILE USPATFULL
5   FILE WPIDS
5   FILE WPINDEX

```

L1 QUE NEURAL (W) (NET OR NETWORK) AND (FEEDFORWARD OR FEED (W) FO

FILE 'EMBASE, SCISEARCH, PASCAL, MEDLINE, CAPLUS, BIOSIS, JICST-EPLUS, TOXLIT, DRUGU, ESBIODASE, BIOTECHNO, LIFESCI, ANABSTR, CABA, TOXCENTER, AGRICOLA, BIOBUSINESS, BIOTECHDS, CANCERLIT' ENTERED AT 10:34:34 ON 23 JAN 2002

```

L2      304 S L1
L3      134 DUP REM L2 (170 DUPLICATES REMOVED)
L4      134 FOCUS L3 1-

```

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	333.97	339.76
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-3.10	-3.10

STN INTERNATIONAL LOGOFF AT 10:42:38 ON 23 JAN 2002

Connection closed by remote host